


**TUMBLLED
PORCELAIN
PAVERS**

MILOTA

THINK DIFFERENT 

www.milotagroup.com

200x200mm | 200x300mm

MILOTA

THINK DIFFERENT

UNMATCHED STYLE AND DURABILITY

Elevate Your Outdoor Spaces with Style and Durability! Discover the perfect blend of sophistication and resilience for your patio or poolside with our exquisite range of porcelain pavers. Engineered for lasting beauty and easy maintenance, these tiles offer a stunning solution for transforming your outdoor living areas. Experience the allure of premium craftsmanship and weather-resistant design, creating an inviting atmosphere that lasts a lifetime.



**TUMBLED
PORCELAIN PAVERS**

200x200mm | 200x300mm

THICKNESS
15mm / 20mm
30mm

www.milotagroup.com





*Pave the Way to Elegance
with Porcelain Pavers*

THICKNESS
15mm / 20mm
30mm

www.milotagroup.com

/ APPLICATION



DRIVE WAYS



STAIRWAY



INDUSTRY



URBAN
LOCATIONS



HOSPITALITY
AREAS



WALKWAYS



LANDSCAPING
PROJECTS



GARDENS
PATIO AREAS

MILOTA
THINK DIFFERENT



200x200mm | 200x300mm
TUMBLED PORCELAIN PAVERS

*Experience Unmatched
Durability and Elegance*



200x200mm
200x300mm

**TUMBLED
PORCELAIN PAVERS**

Upgrade your outdoor space with our premium Porcelain Pavers, offering a perfect blend of durability and sophisticated design. Create a stunning ambiance that lasts through the seasons.

**TUMBLED
PORCELAIN PAVERS**


200x200mm & 200x300mm

THICKNESS

15mm
20mm
30mm



BLUESTONE LIGHT



BLUESTONE DARK



BLUESTONE DARK



MILOTA
THINK DIFFERENT

BLADA BLUE



MILOTA
THINK DIFFERENT

BLADA BLUE

**TUMBLED
PORCELAIN PAVERS**

200x200mm & 200x300mm

THICKNESS

15mm
20mm
30mm



BLADA BLUE



CAMPO CAMEL



CAMPO BEIGE



CAMPO COCA

MILOTA
THINK DIFFERENT

**TUMBLLED
PORCELAIN PAVERS**

200x200mm & 200x300mm

THICKNESS

15mm
20mm
30mm



CAMPO GREY



CAVILL BEIGE



MILOTA
THINK DIFFERENT

CAVILL BEIGE



MILOTA
THINK DIFFERENT

CARE STONE BEIGE


**TUMBLED
PORCELAIN PAVERS**

200x200mm & 200x300mm

THICKNESS

15mm
20mm
30mm


MILOTA
THINK DIFFERENT



CARE STONE BEIGE



FOREST MEDIUM



CARE STONE GREY



FOREST BRICK



MILOTA
THINK DIFFERENT

IMAGICA ASH

**TUMBLED
PORCELAIN PAVERS**

200x200mm & 200x300mm

THICKNESS

15mm
20mm
30mm

MILOTA
THINK DIFFERENT



FOREST DARK



IMAGICA PEARL



FOREST LIGHT



IMAGICA ASH



MILOTA
THINK DIFFERENT

KAARA IVORY

**TUMBLED
PORCELAIN PAVERS**


200x200mm & 200x300mm

THICKNESS

15mm
20mm
30mm




IMAGICA D BROWN



IMAGICA L BROWN



KAARA IVORY



KAARA GREY



MILOTA
THINK DIFFERENT

**TUMBLED
PORCELAIN PAVERS**


200x200mm & 200x300mm

THICKNESS

15mm
20mm
30mm



MARINA GREY



KAARA SILVER



MILOTA
THINK DIFFERENT

KAARA SILVER



MILOTA
THINK DIFFERENT

NORTE MAGNESIYO

**TUMBLED
PORCELAIN PAVERS**

200x200mm & 200x300mm

THICKNESS

15mm
20mm
30mm

MILOTA
THINK DIFFERENT



MARINA RED



NORTE MAGNESIYO



MARINA YELLO



NORTE DORE



MILOTA
THINK DIFFERENT

NORTE PLOMB



NORTE PLATINA

**TUMBLED
PORCELAIN PAVERS**

200x200mm & 200x300mm

THICKNESS

15mm
20mm
30mm

MILOTA
THINK DIFFERENT



NORTE PLOMB



POLVERE GREY



NORTE PLATINA



POLVERE BROWN

**TUMBLED
PORCELAIN PAVERS**

200x200mm & 200x300mm

THICKNESS
15mm
20mm
30mm



POLVERE SALVIAA



RIVA TOFFEE



POLVERE SALVIAA



MILOTA
THINK DIFFERENT



MILOTA
THINK DIFFERENT

RIVA GREY

**TUMBLED
PORCELAIN PAVERS**

200x200mm & 200x300mm

THICKNESS

15mm
20mm
30mm



MILOTA
THINK DIFFERENT



RIVA ASH



RIVA GREY



RIVA DONKER



RUSTY STONE

**TUMBLED
PORCELAIN PAVERS**


200x200mm & 200x300mm

THICKNESS


15mm
20mm
30mm



ROCK STONE



SHELLSTONE



ROCK STONE



MILOTA
THINK DIFFERENT

SKIFAR MIX

**TUMBLED
PORCELAIN PAVERS**

200x200mm & 200x300mm


THICKNESS

15mm
20mm
30mm

MILOTA
THINK DIFFERENT



SKIFAR MIX



TRAVETINE



SKIFAR BEIGE



TERRAZO



**TUMBLLED
PORCELAIN PAVERS**

200x200mm & 200x300mm

THICKNESS

15mm
20mm
30mm



TRUST PEARL



TRUST GOLD



TRUST PEARL

**TUMBLED
PORCELAIN PAVERS**

200x200mm & 200x300mm

THICKNESS

15mm
20mm
30mm



TRUST LUNA



VOLCANO ASH



TRUST PLATINUM



VOLCANO GRAPHITE

MILOTA
THINK DIFFERENT



MILOTA
THINK DIFFERENT

VOLCANO GREY

**TUMBLED
PORCELAIN PAVERS**

200x200mm & 200x300mm

THICKNESS

15mm
20mm
30mm



VOLCANO BEIGE



ZION CREAM



VOLCANO GREY

PACKAGING & TECHNICAL SPECIFICATION

200x200mm & 200x300mm

MILOTA

THINK DIFFERENT

PACKING DETAIL						
Size	200x200mm			200x300mm		
Thickness	15mm	20mm	30mm	15mm	20mm	30mm
Pcs / Box	13	10	7	8	6	4
Weight/Box	18	18	19	16.6	16.6	16.6
Boxes/Pallet	60	60	60	63	63	63
M2/Boxes	0.52	0.4	0.28	0.48	0.36	0.24
M2/Pallet	31.2	24	16.8	30.24	22.68	15.12
Pallet/Container	24	24	24	24	24	24
Boxes/Container	1440	1440	1440	1512	1512	1512
M2/Container	748.8	576	403.2	725.76	544.32	362.88
Load Capacity (TON)	26.5	26.5	28	25.5	25.5	25.5

TECHNICAL SPECIFICATION			
Technical Features	Reference standard	Our value	Test Method
Technical Features	± 0,3	Suitable for	ISO 10545-2
Thickness	± 0,5	Suitable for	
Straightness of sides	± 0,3	Suitable for	
Rectangularity	± 0,3	Suitable for	
Surface flatness	c.c. ± 0,4	c.c. ± 0,2	ISO 10545-2
	e.c. ± 0,4	e.c. ± 0,2	
	w. ± 0,4	w. ± 0,2	
Water absorption (in% by mass)	EV. ± 0,5 % Individual	EV. ≤ 0,5 %	ISO 10545-3
Breaking strength	S ≥ 1300N	≥ 10000 N	ISO 10545-4
Modulus of rupture	R ≥ N/mm ²	R ≥ 45 N/mm ²	
Impact resistance, as coefficient of restitution	Declared value	≥ = 0.55	ISO 10545-5
Mohs hardness	6	7	EN 101
Resistance to deep abrasion (removed volume)	≤ 175 mm ²	≤= 150mm ³	ISO 10545-6
Coefficient of thermal linear expansion	Declared value	≤= 7MK ⁻¹	ISO 10545-8
Thermal shock resistance	Pass according to EN ISO 10545-1	Resistant	ISO 10545-9
Moisture expansion (in mm/m)	Declared value	≤ 0.01% (0,1mm/m)	ISO 10545-10
Frost resistance	Pass according to EN ISO 10545-1	Resistant	ISO 10545-12
Bond strength/adhesion for improved cementitious adhesives	Declared value	≥ = 1N / mm ² (Class C2- EN 12004)	EN 1348
Fire resistance		non combustible	
Resistance to household chemicals and swimming pool salts	Minimum Class B	A	ISO 10545-13
Resistance to low concentrations of acids and alkalis	Declared Class	LA	
Resistance to high concentrations of acids and alkalis	Declared Class	HA	
Resistance to staining	Declared Class	5	
Skid resistance	Dedared value	R11	DIN 51130
Pendulum Friction Test	PTV ≥ 36	≥ 36 Dry ≥ 36 Wet	BS 7976
Coefficient of friction (COF)	μ 20,40	≥ 0,40 Dry ≥ 0,40 Wet	B.C.R.A. Rep. CEC/81

MILOTA

THINK DIFFERENT ———

Survey no.114 and 193p1, Opp. Bhailu International,
8-A National Highway, Haripar Kerala,
Morbi-363642, Gujarat, India
Mo.: +91 91042 42956, +91 90330 74071

Email:
info@milotatiles.com

Web:
www.milotagroup.com